Author Index

Abernethy, D.R.
— , Schwartz, J.B. and Todd, E.L.
Diltiazem and desacetyldiltiazem analysis in human plasma using high-performance liquid chromatography: improved sensitivity without derivatization 216
Adair, C.G.
— , Burns, D.T., Crockard, A.D. and Harriott, M.
Determination of chlorambucil in plasma using reversed-phase high-performance liquid chromatography 447
Alaupovic, P., see McConathy, W.J. 47
Albin, H.C., see Demotes-Mainard, F.M. 234
Alexander, L.R.
— , Justice, Jr., J.B. and Madden, J.
Fatty acid composition of human erythrocyte membranes by capillary gas chromatography—mass spectrometry 1
Antoku, Y.
— , Sakai, T. and Iwashita, H.
Fatty acid analysis in phosphatidylethanolamine subclasses of human erythrocyte membranes by high-performance liquid chromatography 359
Arunyanart, M.
— and Cline Love, L.J.
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Baudisch, H., see Lemm, U. 393
Bernier, J.L., see Lhermitte, M. 416
Bernstein, J.R.
— and Franklin, R.B.
High-performance liquid chromatographic assay of 2-[2-methoxy-4-(methylsulfinyl)phenyl]-1H-imidazo-[4,5-*c*]pyridine hydrochloride, a potent cardiotonic agent, and two metabolites in plasma 228
Biancini, G., see Del Principe, D. 285
Bogusz, M.
— , Gierz, J., De Zeeuw, R.A. and Franke, J.P.
Influence of the biological matrix on retention behaviour in thin-layer chromatography: evidence of systematic differences between pure and extracted drugs 241
Bouchon, B.
— and Portoukalian, J.
Purification of the peracetylated glycosphingolipids of the Gala series (galactosyl- and galabiosylceramides) 385
Bourgeois, G.L., see Demotes-Mainard, F.M. 234
Brondz, I.
— and Olsen, I.
Differentiation between major species of the *Actinobacillus—Haemophilus—Pasteurella* group by gas chromatography of trifluoroacetic acid anhydride derivatives from whole-cell methanolysates 13
Burns, D.T., see Adair, C.G. 447
Callewaert, K., see Daenens, P. 79
Campos, E.M., see McConathy, W.J. 47
Canal, M.
— and Flouvat, B.
Determination of betaxolol in plasma by high-performance liquid chromatography with fluorescence detection 212
Carrel, J.E.
— , Doom, J.P. and Mc Cormick, J.P.
Quantitative determination of cantharidin in biological materials using capillary gas chromatography with flame ionization detection 411
Cautreels, W., see Davi, H. 159
Chan, K.
Simultaneous determination of carbamazepine and its epoxide metabolite in plasma and urine by high-performance liquid chromatography 341
Chmela, Z., see Stránský, Z. 167
Climax, J., see Dadgar, D. 315
Cline Love, L.J., see Arunyanart, M. 293
Cohen, A.I., see Jemal, M. 186
Colistra, C., see Del Principe, D. 285
Condra, M., see Owen, J.A. 333
Conzentino, P., see Strojny, N. 145
Cookman, J.R., see Hartley, R. 105
Crockard, A.D., see Adair, C.G. 447
Dadgar, D.
— , Climax, J., Lambe, R. and Darragh, A.
High-performance liquid chromatographic determination of certain salicylates and their major metabolites in plasma following topical administration of a liniment to healthy subjects 315
Daenens, P.
— , Laruelle, L., Callewaert, K., De Schepper, P., Galeazzi, R. and Van Rossum, J.
Determination of cotinine in biological fluids by capillary gas chromatography—mass spectrometry—selected-ion monitoring 79
D'Arcangelo, C., see Del Principe, D. 285
Darragh, A., see Dadgar, D. 315

Author Index

Abernethy, D.R.
— , Schwartz, J.B. and Todd, E.L.
Diltiazem and desacetyldiltiazem analysis in human plasma using high-performance liquid chromatography: improved sensitivity without derivatization 216
Adair, C.G.
— , Burns, D.T., Crockard, A.D. and Harriott, M.
Determination of chlorambucil in plasma using reversed-phase high-performance liquid chromatography 447
Alaupovic, P., see McConathy, W.J. 47
Albin, H.C., see Demotes-Mainard, F.M. 234
Alexander, L.R.
— , Justice, Jr., J.B. and Madden, J.
Fatty acid composition of human erythrocyte membranes by capillary gas chromatography—mass spectrometry 1
Antoku, Y.
— , Sakai, T. and Iwashita, H.
Fatty acid analysis in phosphatidylethanolamine subclasses of human erythrocyte membranes by high-performance liquid chromatography 359
Arunyanart, M.
— and Cline Love, L.J.
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Baudisch, H., see Lemm, U. 393
Bernier, J.L., see Lhermitte, M. 416
Bernstein, J.R.
— and Franklin, R.B.
High-performance liquid chromatographic assay of 2-[2-methoxy-4-(methylsulfinyl)phenyl]-1H-imidazo-[4,5-*c*]pyridine hydrochloride, a potent cardiotonic agent, and two metabolites in plasma 228
Biancini, G., see Del Principe, D. 285
Bogusz, M.
— , Gierz, J., De Zeeuw, R.A. and Franke, J.P.
Influence of the biological matrix on retention behaviour in thin-layer chromatography: evidence of systematic differences between pure and extracted drugs 241
Bouchon, B.
— and Portoukalian, J.
Purification of the peracetylated glycosphingolipids of the Gala series (galactosyl- and galabiosylceramides) 385
Bourgeois, G.L., see Demotes-Mainard, F.M. 234
Brondz, I.
— and Olsen, I.
Differentiation between major species of the *Actinobacillus—Haemophilus—Pasteurella* group by gas chromatography of trifluoroacetic acid anhydride derivatives from whole-cell methanolysates 13
Burns, D.T., see Adair, C.G. 447
Callewaert, K., see Daenens, P. 79
Campos, E.M., see McConathy, W.J. 47
Canal, M.
— and Flouvat, B.
Determination of betaxolol in plasma by high-performance liquid chromatography with fluorescence detection 212
Carrel, J.E.
— , Doom, J.P. and Mc Cormick, J.P.
Quantitative determination of cantharidin in biological materials using capillary gas chromatography with flame ionization detection 411
Cautreels, W., see Davi, H. 159
Chan, K.
Simultaneous determination of carbamazepine and its epoxide metabolite in plasma and urine by high-performance liquid chromatography 341
Chmela, Z., see Stránský, Z. 167
Climax, J., see Dadgar, D. 315
Cline Love, L.J., see Arunyanart, M. 293
Cohen, A.I., see Jemal, M. 186
Colistra, C., see Del Principe, D. 285
Condra, M., see Owen, J.A. 333
Conzentino, P., see Strojny, N. 145
Cookman, J.R., see Hartley, R. 105
Crockard, A.D., see Adair, C.G. 447
Dadgar, D.
— , Climax, J., Lambe, R. and Darragh, A.
High-performance liquid chromatographic determination of certain salicylates and their major metabolites in plasma following topical administration of a liniment to healthy subjects 315
Daenens, P.
— , Laruelle, L., Callewaert, K., De Schepper, P., Galeazzi, R. and Van Rossum, J.
Determination of cotinine in biological fluids by capillary gas chromatography—mass spectrometry—selected-ion monitoring 79
D'Arcangelo, C., see Del Principe, D. 285
Darragh, A., see Dadgar, D. 315

Davi, H.
— , Guyonnet, J., Necciari, J. and Cautreels, W.
Determination of circulating ethyl loflazepate metabolites in the baboon by radio-high-performance liquid chromatography with injection of crude plasma samples: comparison with solvent extraction and thin-layer chromatography 159
Del Principe, D.
— , Colistra, C., Menichelli, A., Biancini, G., D'Arcangelo, C., Multari, G., Werner, B., Lemmo, M. and Digilio, G.
Isotachophoresis as a useful tool for monitoring neurological complications of acute leukaemia in children 285
Demotes-Mainard, F.M.
— , Vinçon, G.A., Jarry, C.H., Bourgeois, G.L. and Albin, H.C.
High-performance liquid chromatographic determination of apalcillin in plasma and urine 234
De Schepper, P., see Daenens, P. 79
De Silva, J.A.F., see Strojny, N. 145
De Villiers, L.S., see Ubbink, J.B. 277
Dew, K.L., see Kilts, C.D. 452
De Zeeuw, R.A., see Bogusz, M. 241
Digilio, G., see Del Principe, D. 285
Doom, J.P., see Carrel, J.E. 411
Edwards, I.R., see Schaaf, L.J. 303
Ehninger, G.
— , Proksch, B. and Schiller, E.
Detection and separation of mitoxantrone and its metabolites in plasma and urine by high-performance liquid chromatography 119
Ely, T.D., see Kilts, C.D. 452
Ensminger, W.D., see Shukla, U.A. 406
Erb, F., see Lhermitte, M. 416
Fenemore, J., see Owen, J.A. 333
Ferry, D.G., see Schaaf, L.J. 303
Fields, M.J., see Roberts, R.F. 25
Finden, D.A.S.
— , Fysh, R.R. and White, P.C.
Quantitative method for the detection of glucose in body fluids by high-performance liquid chromatography with fluorescence detection 179
Flouvat, B., see Canal, M. 212
Forgue, S.T.
— , Van Harken, D.R. and Smyth, R.D.
Determination of tiodazosin concentrations in human plasma with a fluorescence high-performance liquid chromatographic method 221
Franke, J.P., see Bogusz, M. 241
Franklin, M.R., see Liu, Z. 135
Franklin, R.B., see Bernstein, J.R. 228
Fukui, K., see Okamoto, T. 35
Fysh, R.R., see Finden, D.A.S. 179
Gagner, J.-P.
— and Gauthier, S.
Estimation of adrenal catecholamines by elevated-temperature liquid chromatography with amperometric detection 363
Galeazzi, R., see Daenens, P. 79
Gauthier, S., see Gagner, J.-P. 363
Genin-Ramakers, J., see Kumps, A. 469
Gierz, J., see Bogusz, M. 241
Gleispach, H.
— , Moser, R. and Leis, H.J.
Contribution to the measurement of prostaglandins by gas chromatography—mass spectrometry 245
Glennon, J.D., see Hojabri, H. 97
Gray, J.E., see Schallinger, L.E. 67
Gupta, R.N.
— and Lew, M.
Determination of trazodone in human plasma by liquid chromatography with fluorescence detection 442
Guyonnet, J., see Davi, H. 159
Harken, D.R. Van, see Forgue, S.T. 221
Harriott, M., see Adair, C.G. 447
Hartley, R.
— , Smith, I.J. and Cookman, J.R.
Improved high-performance liquid chromatographic method for the simultaneous determination of caffeine and its N-demethylated metabolites in plasma using solid-phase extraction 105
Hiraga, Y.
— and Kinoshita, T.
High-performance liquid chromatographic analysis of guanidino compounds using ninhydrin reagent. II. Guanidino compounds in blood of patients on hemodialysis therapy 269
Hiraoka, E., see Okamoto, T. 35
Hojabri, H.
— and Glennon, J.D.
Determination of cianopramine in human plasma by high-performance liquid chromatography and gas—liquid chromatography with ultraviolet, fluorescence and electron-capture detection 97
Hung, C.T., see Schaaf, L.J. 303
Iwashita, H., see Antoku, Y. 359
Jarry, C.H., see Demotes-Mainard, F.M. 234

Jemal, M.
— and Cohen, A.I.
Determination of S-benzoyl captopril in human urine by capillary gas chromatography with electron-capture detection 186
Joseph, M.H.
Alkyl boronates as catechol-specific mobile phase pairing agents. Application to high-performance liquid chromatographic analysis of amines, precursors and metabolites in brain tissue 370
Jurlina, J.L.
— and Paxton, J.W.
Determination of N-5-dimethyl-9-[(2-methoxy-4-methylsulfonylamino)phenylamino]-4-acridinecarboxamide in plasma by high-performance liquid chromatography 431
Justice, Jr., J.B., see Alexander, L.R. 1
Kanamori, N., see Okamoto, T. 35
Kauffman, R., see Stout, M. 424
Kawai, S., see Nishioka, R. 89
Kilts, C.D.
— , Dew, K.L., Ely, T.D. and Mailman, R.B.
Quantification of *R*-(+)-7-chloro-8-hydroxy-1-phenyl-2,3,4,5-tetrahydro-1H-3-methyl-3-benzazepine in brain and blood by use of reversed-phase high-performance liquid chromatography with electrochemical detection 452
Kinoshita, T., see Hiraga, Y. 269
Kirkland, J.J., see Schallinger, L.E. 67
Kishi, H., see Okamoto, T. 35
Kishi, T., see Okamoto, T. 35
Kloer, H.U., see McConathy, W.J. 47
Knowlton, S., see Schallinger, L.E. 67
Kondo, K., see Nishioka, R. 89
Koren, E., see McConathy, W.J. 47
Krause, W., see Lemm, U. 393
Kruggel, W.G.
— and Lewis, R.V.
High-performance liquid chromatographic support for the baseline separation of all phenylthiohydantoin amino acids 376
Kumps, A.
— , Genin-Ramakers, J. and Mardens, Y.
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by high-performance liquid chromatography 469
Lambe, R., see Dadgar, D. 315
Laruelle, L., see Daenens, P. 79
Lawson, G.J.
Rapid method for the measurement of methylprednisolone and its hemisuccinate in plasma and urine following "pulse therapy" by high-performance liquid chromatography 251
Lee, D.M., see McConathy, W.J. 47
Legator, M.S., see Rinkus, M.S. 465
Leis, H.J., see Gleispach, H. 245
Lemm, U.
— , Tenczer, J., Baudisch, H. and Krause, W.
Antibody-mediated extraction of the main tetrahydrocannabinol metabolite, 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid, from human urine and its identification by gas chromatography—mass spectrometry in the sub-nanogram range 393
Lemmo, M., see Del Principe, D. 285
Lennard, M.S.
Quantitative analysis of metoprolol and three of its metabolites in urine and liver microsomes by high-performance liquid chromatography 199
Lew, M., see Gupta, R.N. 442
Lewis, R.V., see Kruggel, W.G. 376
Lhermitte, M.
— , Bernier, J.L., Mathieu, D., Mathieu-Nolf, M., Erb, F. and Roussel, P.
Colchicine quantitation by high-performance liquid chromatography in human plasma and urine 416
Liu, Z.
— and Franklin, M.R.
High-performance liquid chromatographic separation and determination of 2-(diethylamino)ethyl diphenylpropylacetate and its metabolites from biological samples 135
Love, L.J. Cline, see Arunyanart, M. 293
McConathy, W.J.
— , Koren, E., Wieland, H., Campos, E.M., Lee, D.M., Kloer, H.U. and Alaupovic, P.
Evaluation of immunoaffinity chromatography for isolating human lipoproteins containing apolipoprotein B 47
Mc Cormick, J.P., see Carrel, J.E. 411
MacGregor, G.A., see Tucker, F.A. 193
Madden, J., see Alexander, L.R. 1
Mafune, E., see Takasugi, N. 349
Maguire, J.H.
— and Wilson, D.C.
Urinary dihydrodiol metabolites of phenytoin: high-performance liquid chromatographic assay of diastereomeric composition 323
Mailman, R.B., see Kilts, C.D. 452

Mardens, Y., see Kumps, A. 469
Mathieu, D., see Lhermitte, M. 416
Mathieu-Nolf, M., see Lhermitte, M. 416
Menichelli, A., see Del Principe, D. 285
Minty, P.S.B., see Tucker, F.A. 193
Moncrieff, J.
Assay of nadolol in serum by reversed-phase high-performance liquid chromatography with fluorometric detection 206
Moore, D.J., see Powis, G. 129
Morales, A., see Owen, J.A. 333
Moser, R., see Gleispach, H. 245
Multari, G., see Del Principe, D. 285
Mutschler, E., see Spahn, H. 458
Nakamoto, M., see Okamoto, T. 35
Nakamura, M., see Nishioka, R. 89
Nakatsu, S.L., see Owen, J.A. 333
Necciari, J., see Davi, H. 159
Nishimura, M., see Yamamoto, T. 261
Nishioka, R.
— , Takeuchi, M., Kawai, S., Nakamura, M. and Kondo, K.
Improved direct injection method and extractive methylation method for determination of valproic acid in serum by gas chromatography 89
Nissinen, E.
Assay of aromatic L-amino acid decarboxylase by high-performance liquid chromatography with radiochemical detection 175
Okamoto, T.
— , Fukui, K., Nakamoto, M., Kishi, T., Okishio, T., Yamagami, T., Kanamori, N., Kishi, H. and Hiraoka, E.
High-performance liquid chromatography of coenzyme Q-related compounds and its application to biological materials 35
Okishio, T., see Okamoto, T. 35
Olsen, I., see Brondz, I. 13
Owen, J.A.
— , Nakatsu, S.L., Condra, M., Surridge, D.H., Fenemore, J. and Morales, A.
Sub-nanogram analysis of yohimbine and related compounds by high-performance liquid chromatography 333
Paxton, J.W., see Jurlina, J.L. 431
Peč, P., see Stránský, Z. 167
Perrier, D.G., see Schaaf, L.J. 303
Portoukalian, J., see Bouchon, B. 385
Powis, G.
— and Moore, D.J.
High-performance liquid chromatographic assay for the antitumor glycoside phyllanthoside and its stability in plasma of several species 129
Principe, D. Del, see Del Principe, D. 285
Prinoth, M., see Spahn, H. 458
Proksch, B., see Ehninger, G. 119
Ravindranath, Y., see Stout, M. 424
Rinkus, S.J.
— and Legator, M.S.
Use and regeneration of Amicon ultrafiltration cones for deproteination of microsomal solutions before chromatographic analysis 465
Roberts, M.S., see Rumble, R.H. 436
Roberts, R.F.
— and Fields, M.J.
Monitoring radioactive compounds in high-performance liquid chromatographic eluates: fraction collection versus on-line detection 25
Rosseel, M.T., see Teirlynck, O.A. 399
Rossum, J. van, see Daenens, P. 79
Roussel, P., see Lhermitte, M. 416
Rumble, R.H.
— and Roberts, M.S.
Determination of benzylpenicillin in plasma and urine by high-performance liquid chromatography 436
Šafařík, L., see Stránský, Z. 167
Sakai, T., see Antoku, Y. 359
Schaaf, L.J.
— , Ferry, D.G., Hung, C.T., Perrier, D.G. and Edwards, I.R.
Analysis of 5'-deoxy-5-fluorouridine and 5-fluorouracil in human plasma and urine by high-performance liquid chromatography 303
Schallinger, L.E.
— , Gray, J.E., Wagner, L.W., Knowlton, S. and Kirkland, J.J.
Preparative isolation of plasmid DNA with sedimentation field flow fractionation 67
Schepper, P. De, see Daenens, P. 79
Schiller, E., see Ehninger, G. 119
Schwartz, J.B., see Abernethy, D.R. 216
Schwarz, W.
High-performance liquid chromatographic determination of urocanic acid in stripped human stratum corneum 247
Serfontein, W.J., see Ubbink, J.B. 277
Shukla, U.A.
— , Stetson, P.L. and Ensminger, W.D.
Rapid gas—liquid chromatographic method for plasma verapamil level determination 406
Silva, J.A.F. de, see Strojny, N. 145
Smith, I.J., see Hartley, R. 105
Smyth, R.D., see Forgue, S.T. 221

Spahn, H.
— , Prinoth, M. and Mutschler, E. Determination of pindolol in plasma and urine by thin-layer chromatography 458
Stetson, P.L., see Shukla, U.A. 406
Stout, M.
— , Ravindranath, Y. and Kauffman, R. High-performance liquid chromatographic assay for methotrexate utilizing a cold acetonitrile purification and separation of plasma or cerebrospinal fluid 424
Stránský, Z.
— , Chmela, Z., Peč, P. and Šafařík, L. Determination of trimecaine metabolites in blood plasma by capillary isotachophoresis 167
Strojny, N.
— , Conzentino, P. and De Silva, J.A.F. Determination of coumermycin A_1 in plasma by reversed-phase high-performance liquid chromatographic analysis 145
Sugimoto, T., see Takasugi, N. 349
Surridge, D.H., see Owen, J.A. 333
Takasugi, N.
— , Mafune, E., Yokokawa, S., Toriyama, K., Tsuchiya, K. and Sugimoto, T. Determination of malotilate and its metabolites in plasma and urine 349
Takeuchi, M., see Nishioka, R. 89
Teirlynck, O.A.
— and Rosseel, M.T. Determination of di- and mono(2-ethylhexyl)phthalate in plasma by gas chromatography 399
Tenczer, J., see Lemm, U. 393
Todd, E.L., see Abernethy, D.R. 216
Toriyama, K., see Takasugi, N. 349
Tsuchiya, K., see Takasugi, N. 349
Tucker, F.A.
— , Minty, P.S.B. and MacGregor, G.A. Study of nifedipine photodecomposition in plasma and whole blood using capillary gas—liquid chromatography 193
Ubbink, J.B.
— , Serfontein, W.J. and De Villiers, L.S. Stability of pyridoxal-5-phosphate semicarbazone: applications in plasma vitamin B_6 analysis and population surveys of vitamin B_6 nutritional status 277
Van Harken, D.R., see Forgue, S.T. 221
Van Rossum, J., see Daenens, P. 79
Villiers, L.S. de, see Ubbink, J.B. 277
Vinçon, G.A., see Demotes-Mainard, F.M. 234
Wada, H., see Yamamoto, T. 261
Wagner, L.W., see Schallinger, L.E. 67
Wardlow, M.L. Rapid isocratic procedure for the separation of platelet-activating factor from phospholipids in human saliva by high-performance liquid chromatography 380
Werner, B., see Del Principe, D. 285
White, P.C., see Finden, D.A.S. 179
Wieland, H., see McConathy, W.J. 47
Wilson, D.C., see Maguire, J.H. 323
Yamagami, T., see Okamoto, T. 35
Yamamoto, T.
— , Yamatodani, A., Nishimura, M. and Wada, H. Determination of dopamine-3- and -4-O-sulphate in human plasma and urine by anion-exchange high-performance liquid chromatography with fluorometric detection 261
Yamatodani, A., see Yamamoto, T. 261
Yokokawa, S., see Takasugi, N. 349
Zeeuw, R.A. de, see Bogusz, M. 241

Subject Index

Actinobacillus
Differentiation between major species of the *Actinobacillus—Haemophilus—Pasteurella* group by GC of trifluoroacetic acid anhydride derivates from whole-cell methanolysates 13
Alkyl boronates
Alkyl boronates as catechol-specific mobile phase pairing agents. Application to HPLC analysis of amines, precursors and metabolites in brain tissue 370
Amines
Alkyl boronates as catechol-specific mobile phase pairing agents. Application to HPLC analysis of amines, precursors and metabolites in brain tissue 370
L-Amino acid decarboxylase
Assay of aromatic L-amino acid decarboxylase by HPLC with radiochemical detection 175
Amino acids
HPLC support for the baseline separation of all phenylthiohydantoin amino acids 376
Apalcillin
HPLC determination of apalcillin in plasma and urine 234
Apolipoprotein B
Evaluation of immunoaffinity chromatography for isolating human lipoproteins containing apolipoprotein B 47
S-Benzoyl captopril
Determination of S-benzoyl captopril in human urine by capillary GC with electron-capture detection 186
Benzylpenicillin
Determination of benzylpenicillin in plasma and urine by HPLC 436
Betaxolol
Determination of betaxolol in plasma by HPLC with fluorescence detection 212
Biological matrix influence
Influence of the biological matrix on retention behaviour in TLC: evidence of systematic differences between pure and extracted drugs 241
Caffeine
Improved HPLC method for the simultaneous determination of caffeine and its N-demethylated metabolites in plasma using solid-phase extraction 105
Cantharidin
Quantitative determination of cantharidin in biological materials using capillary GC with flame ionization detection 411
Carbamazepine
Simultaneous determination of carbamazepine and its epoxide metabolite in plasma and urine by HPLC 341
Carbazepine
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by HPLC 469
Catecholamines
Estimation of adrenal catecholamines by elevated-temperature LC with amperometric detection 363
Ceramide dihexoside
Purification of the peracetylated glycosphingolipids of the Gala series (galactosyl- and galabiosylceramides) 385
Chlorambucil
Determination of chlorambucil in plasma using reversed-phase HPLC 447
R-(+)-7-Chloro-8-hydroxy-1-phenyl-2,3,4,5-tetrahydro-1H-3-methyl-3-benzazepine
Quantification of *R*-(+)-7-chloro-8-hydroxy-1-phenyl-2,3,4,5-tetrahydro-1H-3-methyl-3-benzazepine in brain and blood by use of reversed-phase HPLC with electrochemical detection 452
Cianopramine
Determination of cianopramine in human plasma by HPLC and GLC with ultraviolet, fluorescence and electron-capture detection 97
Codeine
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Coenzyme Q-related compounds
HPLC of coenzyme Q-related compounds and its application to biological materials 35
Colchicine
Colchicine quantitation by HPLC in human plasma and urine 416
Corynanthine
Sub-nanogram analysis of yohimbine and related compounds by HPLC 333
Cotinine
Determination of cotinine in biological fluids by capillary GC—MS—selected-ion monitoring 79
Coumermycin A_1
Determination of coumermycin A_1 in plasma by reversed-phase HPLC analysis 145

5'-Deoxy-5-fluorouridine
Analysis of 5'-deoxy-5-fluorouridine and 5-fluorouracil in human plasma and urine by HPLC 303
Desacetyldiltiazem
Diltiazem and desacetyldiltiazem analysis in human plasma using HPLC: improved sensitivity without derivatization 216
2-(Diethylamino)ethyl diphenylpropylacetate
HPLC separation and determination of 2-(diethylamino)ethyl diphenylpropylacetate and its metabolites from biological samples 135
Diethylglycylmesidide
Determination of trimecaine metabolites in blood plasma by capillary isotachophoresis 167
Di(2-ethylhexyl)phthalate
Determination of di- and mono(2-ethylhexyl)phthalate in plasma by GC 399
trans-10,11-Dihydroxy-10,11-dihydrocarbamazepine
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by HPLC 469
Diltiazem
Diltiazem and desacetyldiltiazem analysis in human plasma using HPLC: improved sensitivity without derivatization 216
N-5-Dimethyl-9-[(2-methoxy-4-methylsulfonylamino)phenylamino]-4-acridinecarboxamide
Determination of N-5-dimethyl-9-[(2-methoxy-4-methylsulfonylamino)phenylamino]-4-acridinecarboxamide in plasma by HPLC 431
Dimethylxanthines
Improved HPLC method for the simultaneous determination of caffeine and its N-demethylated metabolites in plasma using solid-phase extraction 105
DNA
Preparative isolation of plasmid DNA with sedimentation field flow fractionation 67
DOPA decarboxylase
Assay of aromatic L-amino acid decarboxylase by HPLC with radiochemical detection 175
Dopamine
Alkyl boronates as catechol-specific mobile phase pairing agents. Application to HPLC analysis of amines, precursors and metabolites in brain tissue 370
Dopamine sulphate
Determination of dopamine-3- and -4-O-sulphate in human plasma and urine by anion-exchange HPLC with fluorimetric detection 261
Drugs
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Drugs
Influence of the biological matrix on retention behaviour in TLC: evidence of systematic differences between pure and extracted drugs 241
Drugs, anticonvulsant
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by HPLC 469
Ethyl loflazepate
Determination of circulating ethyl loflazepate metabolites in the baboon by radio-HPLC with injection of crude plasma samples: comparison with solvent extraction and TLC 159
Ethyl-5-methoxysalicylate
HPLC determination of certain salicylates and their major metabolites in plasma following topical administration of a liniment to healthy subjects 315
Fatty acids
Fatty acid analysis of phosphatidylethanolamine subclasses of human erythrocyte membranes by HPLC 359
Fatty acids
Fatty acid composition of human erythrocyte membranes by capillary GC–MS 1
5-Fluorouracil
Analysis of 5'-deoxy-5-fluorouridine and 5-fluorouracil in human plasma and urine by HPLC 303
Glucose
Quantitative method for the detection of glucose in body fluids by HPLC with fluorescence detection 179
Glycosides
HPLC assay for the antitumor glycoside phyllanthoside and its stability in plasma of several species 129
Glycosphingolipids
Purification of the peracetylated glycosphingolipids of the Gala series (galactosyl- and galabiosylceramides) 385
Glycylmesidide
Determination of trimecaine metabolites in blood plasma by capillary isotachophoresis 167

Guanidino compounds
HPLC analysis of guanidino compounds using ninhydrin reagent. II. Guanidino compounds in blood of patients on hemodialysis therapy 269
Haemophilus
Differentiation between major species of the *Actinobacillus—Haemophilus—Pasteurella* group by GC of trifluoroacetic acid anhydride derivatives from whole-cell methanolysates 13
α-Hydroxymetoprolol
Quantitative analysis of metoprolol and three of its metabolites in urine and liver microsomes by HPLC 199
Lipoproteins
Evaluation of immunoaffinity chromatography for isolating human lipoproteins containing apolipoprotein B 47
Malotilate
Determination of malotilate and its metabolites in plasma and urine 349
Methotrexate
HPLC assay for methotrexate utilizing a cold acetonitrile purification and separation of plasma or cerebrospinal fluid 424
2-[2-Methoxy-4-(methylsulfinyl)phenyl]-1H-imidazo-[4,5-*c*]pyridine hydrochloride
HPLC assay of 2-[2-methoxy-4-(methylsulfinyl)phenyl]-1H-imidazo-[4,5-*c*]pyridine hydrochloride, a potent cardiotonic agent, and two metabolites in plasma 228
Methylprednisolone
Rapid method for the measurement of methylprednisolone and its hemisuccinate in plasma and urine following "pulse therapy" by HPLC 251
Methylprednisolone hemisuccinate
Rapid method for the measurement of methylprednisolone and its hemisuccinate in plasma and urine following "pulse therapy" by HPLC 251
Metoprolol
Quantitative analysis of metoprolol and three of its metabolites in urine and liver microsomes by HPLC 199
Microsomal solutions
Use and regeneration of Amicon ultrafiltration cones for deproteination of microsomal solutions before chromatographic analysis 465
Mitoxantrone
Detection and separation of mitoxantrone and its metabolites in plasma and urine by HPLC 119
Mitoxantrone, dicarboxylic acid derivative
Detection and separation of mitoxantrone and its metabolites in plasma and urine by HPLC 119
Mitoxantrone, monocarboxylic acid derivative
Detection and separation of mitoxantrone and its metabolites in plasma and urine by HPLC 119
Monoethylglycylmesidide
Determination of trimecaine metabolites in blood plasma by capillary isotachophoresis 167
Mono(2-ethylhexyl)phthalate
Determination of di- and mono(2-ethylhexyl)phthalate in plasma by GC 399
Morphine
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Nadolol
Assay of nadolol in serum by reversed-phase HPLC with fluorometric detection 206
Nifedipine
Study of nifedipine photodecomposition in plasma and whole blood using capillary GLC 193
Noradrenaline
Alkyl boronates as catechol-specific mobile phase pairing agents. Application to HPLC analysis of amines, precursors and metabolites in brain tissue 370
11-Nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid
Antibody-mediated extraction of the main tetrahydrocannabinol metabolite, 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid, from human urine and its identification by GC—MS in the subnanogram range 393
Oxcarbazepine
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by HPLC 469
Pasteurella
Differentiation between major species of the *Actinobacillus—Haemophilus—Pasteurella* group by GC of trifluoroacetic acid anhydride derivatives from whole-cell methanolysates 13
Phenobarbital
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by HPLC 469
3-Phenylpropylsalicylate
HPLC determination of certain salicy-

lates and their major metabolites in plasma following topical administration of a liniment to healthy subjects 315
Phenytoin
Simultaneous determination of anticonvulsant drugs and metabolites in plasma by HPLC 469
Phenytoin metabolites
Urinary dihydrodiol metabolites of phenytoin: HPLC assay of diastereomeric composition 323
Phospholipids
Fatty acid analysis of phosphatidylethanolamine subclasses of human erythrocyte membranes by HPLC 359
Phospholipids
Rapid isocratic procedure for the separation of platelet-activating factor from phospholipids in human saliva by HPLC 380
Phyllanthoside
HPLC assay for the antitumor glycoside phyllanthoside and its stability in plasma of several species 129
Pindolol
Determination of pindolol in plasma and urine by TLC 458
Plastoquinone-9
HPLC of coenzyme Q-related compounds and its application to biological materials 35
Platelet-activating factor
Rapid isocratic procedure for the separation of platelet-activating factor from phospholipids in human saliva by HPLC 380
Propranolol
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Prostaglandins
Contribution to the measurement of prostaglandins by GC–MS 245
Proteins
Isotachophoresis as a useful tool for monitoring neurological complications of acute leukaemia in children 285
Pyridoxal-5-phosphate semicarbazone
Stability of pyridoxal-5-phosphate semicarbazone: applications in plasma vitamin B_6 analysis and population surveys of vitamin B_6 nutritional status 277
Quinidine
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Quinine
Determination of drugs in untreated body fluids by micellar chromatography with fluorescence detection 293
Radioisotopes
Monitoring radioactive compounds in HPLC eluates: fraction collection versus on-line detection 25
Reserpine
Sub-nanogram analysis of yohimbine and related compounds by HPLC 333
Salicylates
HPLC determination of certain salicylates and their major metabolites in plasma following topical administration of a liniment to healthy subjects 315
Serotonin
Alkyl boronates as catechol-specific mobile phase pairing agents. Application to HPLC analysis of amines, precursors and metabolites in brain tissue 370
Tetrahydrocannabinol
Antibody-mediated extraction of the main tetrahydrocannabinol metabolite, 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid, from human urine and its identification by GC–MS in the sub-nanogram range 393
Tiodazosin
Determination of tiodazosin concentrations in human plasma with a fluorescence HPLC method 221
Trazodone
Determination of trazodone in human plasma by LC with fluorescence detection 442
Trimecaine
Determination of trimecaine metabolites in blood plasma by capillary isotachophoresis 167
1,3,7-Trimethylxanthine
Improved HPLC method for the simultaneous determination of caffeine and its N-demethylated metabolites in plasma using solid-phase extraction 105
Ubichromenol-9
HPLC of coenzyme Q-related compounds and its application to biological materials 35
Ultrafiltration cones
Use and regeneration of Amicon ultrafiltration cones for deproteination of microsomal solutions before chromatographic analysis 465
Urocanic acid
HPLC determination of urocanic acid in

stripped human stratum corneum 247
Valproic acid
Improved direct injection method and extractive methylation method for determination of valproic acid in serum by GC 89
Verapamil
Rapid GLC method for plasma verapamil level determination 406
Vitamin B_6
Stability of pyridoxal-5-phosphate semicarbazone: applications in plasma vitamin B_6 analysis and population surveys of vitamin B_6 nutritional status 277
Yohimbine
Sub-nanogram analysis of yohimbine and related compounds by HPLC 333
Yohimibic acid
Sub-nanogram analysis of yohimbine and related compounds by HPLC 333